

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5906	((312/140.1,229,228,326-329) or (108/25,26,50.15)).CCLS.	USPAT; USOCR	OR	OFF	2005/06/30 14:15
S2	1009981	cover lid covering hood	USPAT	OR	OFF	2005/06/30 09:36
S3	522	S1 and S2	USPAT	OR	OFF	2005/06/30 09:36
S4	993	(16/357,358,361,332).CCLS.	USPAT; USOCR	OR	OFF	2005/06/30 17:14
S5	28543	(pan bin pot bucket pail dish\$2 tray) near (holder support guide accomodation base rest bin cabinet case)	USPAT; USOCR	OR	OFF	2005/06/30 14:09
S6	247161	(insulat\$3 shield\$3 isolate\$2) WITH (wall pad surrounding enclosure barrier divider panel\$3)	USPAT; USOCR	OR	OFF	2005/06/30 14:12
S7	1876	S5 and S6	USPAT; USOCR	OR	OFF	2005/06/30 14:13
S8	3267583	cover lid top hood	USPAT; USOCR	OR	OFF	2005/06/30 15:17
S9	1731	S7 and S8	USPAT; USOCR	OR	OFF	2005/06/30 14:19
S10	5906	((312/140.1,229,228,326-329) or (108/25,26,50.15)).CCLS.	USPAT; USOCR	OR	OFF	2005/06/30 14:17
S11	8	S9 and S10	USPAT; USOCR	OR	OFF	2005/06/30 14:18
S12	542	S9 and food	USPAT; USOCR	OR	OFF	2005/06/30 14:19
S13	3337539	cover lid top hood door	USPAT; USOCR	OR	OFF	2005/06/30 15:17
S14	220154	(two or dual or pair or duality twin or binary or double) near2 (axle pin shaft stem rod pivot)	USPAT; USOCR	OR	OFF	2005/06/30 15:23
S15	150814	S13 and S14	USPAT; USOCR	OR	OFF	2005/06/30 15:20
S16	102040	(two or dual or pair or duality twin or binary or double) near (axle pin shaft stem rod pivot)	USPAT; USOCR	OR	OFF	2005/06/30 16:39
S17	1743303	bracket angle hinge	USPAT; USOCR	OR	OFF	2005/06/30 15:34
S18	57745	S16 and S17	USPAT; USOCR	OR	OFF	2005/06/30 15:34
S19	19909	S16 and S17 and plates	USPAT; USOCR	OR	OFF	2005/06/30 15:35
S20	42904	S13 and S18	USPAT; USOCR	OR	OFF	2005/06/30 15:35

S21	54464	(two or dual or pair or duality twin or binary or double) near plate	USPAT; USOCR	OR	OFF	2005/06/30 15:49
S22	54464	(two or dual or pair or duality twin or binary or double) near plate	USPAT; USOCR	OR	OFF	2005/06/30 15:50
S23	125912	(two or dual or pair or duality twin or binary or double) near plate	USPAT; USOCR	OR	ON	2005/06/30 15:51
S25	180518	plate with (opposite opposing counter facing obverse) near (side edge periphery boundary surface)	USPAT; USOCR	OR	ON	2005/06/30 16:02
S26	136265	S13 and S25	USPAT; USOCR	OR	ON	2005/06/30 16:19
S27	4640	S20 and S25	USPAT; USOCR	OR	ON	2005/06/30 16:19
S28	31524	(two or dual or pair or duality twin or binary or double) near (hinge pivot turn\$3 adj (axle pin shaft stem rod pivot))	USPAT; USOCR	OR	OFF	2005/06/30 16:40
S29	25671	S28 and S17	USPAT; USOCR	OR	OFF	2005/06/30 16:41
S30	21209	S28 and S17 and S13	USPAT; USOCR	OR	OFF	2005/06/30 16:41
S31	2290	S28 and S17 and S13 and S25	USPAT; USOCR	OR	OFF	2005/06/30 16:45
S32	13532	S13 with S14	USPAT; USOCR	OR	OFF	2005/06/30 16:45
S33	5025	S13 with S28	USPAT; USOCR	OR	OFF	2005/06/30 16:46
S34	504	S33 and S25	USPAT; USOCR	OR	OFF	2005/06/30 17:04
S35	153	S4 and groove	USPAT; USOCR	OR	ON	2005/06/30 17:14
S36	5906	((312/140.1,229,228,326-329) or (108/25,26,50.15)).CCLS.	USPAT; USOCR	OR	OFF	2005/07/01 08:14
S37	34	S36 and (mirror\$2 reflect\$4) with (bottom underside underneath)	USPAT; USOCR	OR	ON	2005/07/01 08:34
S38	2	("1947571").PN.	USPAT; USOCR	OR	OFF	2005/07/01 08:39
S39	1290905	tapped hole	USPAT; USOCR	OR	ON	2005/07/01 08:39
S40	37	(tapped adj hole) same (rivet adj screw)	USPAT; USOCR	OR	ON	2005/07/01 08:41
S41	3337539	cover lid top hood door	USPAT; USOCR	OR	OFF	2005/07/01 09:10
S42	102040	(two or dual or pair or duality twin or binary or double) near (axle pin shaft stem rod pivot)	USPAT; USOCR	OR	OFF	2005/07/01 09:10

S43	1743303	bracket angle hinge	USPAT; USOCR	OR	OFF	2005/07/01 09:10
S44	57745	S42 and S43	USPAT; USOCR	OR	OFF	2005/07/01 09:10
S45	42904	S41 and S44	USPAT; USOCR	OR	OFF	2005/07/01 09:10
S46	125912	(two or dual or pair or duality twin or binary or double) near plate	USPAT; USOCR	OR	ON	2005/07/01 09:10
S47	3773	S45 and S46	USPAT; USOCR	OR	ON	2005/07/01 09:30
S48	105	S47 and (food foodstuff consumable\$2)	USPAT; USOCR	OR	ON	2005/07/01 09:23
S49	7021	S42 with S43	USPAT; USOCR	OR	ON	2005/07/01 09:31
S50	814	S41 with S49	USPAT; USOCR	OR	ON	2005/07/01 09:31
S51	82	S50 and S46	USPAT; USOCR	OR	ON	2005/07/01 09:31
S52	2	("1303441").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/01 10:47
S53	616	lid near3 support near5 (hinge bracket device)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/01 11:33
S54	541	lid near3 support near5 (hinge bracket device) and (lock securing secure hold prevent prevention)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/01 11:49
S55	200	lid near3 support near5 (yoke hinge bracket device) and (lock securing secure hold prevent prevention) with (up open apart)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/01 11:52
S56	274	lid near3 support near5 (yoke hinge bracket plate device) and (lock securing secure hold prevent prevention) with (up open apart)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/01 11:49
S57	211	16/358.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/01 11:52
S58	5	"1947571"	USPAT; USOCR	OR	ON	2005/07/05 10:39